

Product Data Sheet



Sarnafil Non-Woven Geotextiles

Property	Unit	S-Felt 130	S-Felt 300	S-Felt 500	Standard
Mass per unit area	g/m ²	130	300	500	GB/ T13762
Thickness	mm	1.1	2.4	3.6	GB/ T13761
Tensile Strength	N/ 50mm	178.8	≥430	≥750	GB/ 3923
Elongation at Break	%	25 - 100	≤100	≤100	GB/ 3923
Tear Strength	N	100	≥250	≥450	Req. met
Puncture Resistance	N	400	≥1600	≥2600	Req. met
Cone Drop	mm	-	13	4	Req. met

GB = China Standard

Sika India Pvt. Ltd.
620, Diamond Harbour Road, Kolkata, 700 034, India

Tel: +91 33 2447 2448/2449
Fax: +91 33 2468 8688/2665
E-mail: info@in.sika.com
Website: www.sika.in

All data in our product information are based on our current knowledge and experience. They do not release users from careful testing of the application and strict observation of the relevant processing regulations because of the wide range of possible influences during the application and use of our products. Legally valid assurances of specific characteristics or suitability for special purposes of application other than those provided in our documentation for the specific product cannot be inferred from our information. The recipient or processor of our products at their own responsibility must follow any protective rights or existing laws and provisions. Moreover our general terms and conditions of sale and warranty are valid.